

EXAVIR™ REFERENCES**2009**

Greengrass V, Lohman B, Morris L, Plate M, Steele PM, Walson JL, Crowe SM. Assessment of the Low-Cost Cavid ExaVir Load Assay for Monitoring HIV Viral Load in Pediatric and Adult Patients. *J Acquir Immune Defic Syndr*. 2009 Jul 16. [Epub ahead of print]

[[Medline](#)]

Greengrass VL, Plate MM, Steele PM, Denholm JT, Cherry C, Morris LM, Hearps A, Crowe SM. Evaluation of the Cavid ExaVir™ Load version 3 assay for plasma HIV-1 viral load monitoring. *J Clin Microbiol*. 2009 Sep;47(9):3011-3. Epub 2009 Jul 15.

[[Medline](#)]

Labbett W et al. Comparative evaluation of the ExaVir Load version 3 reverse transcriptase assay for measurement of human immunodeficiency virus type 1 plasma load. *J Clin Microbiol*. 2009 Oct;47(10):3266-70. Epub 2009 Aug 5. PubMed PMID: 19656978; PubMed Central PMCID: PMC2756939.

[[Medline](#)]

Mine M, Bedi K, Maruta T, Madziva D, Tau M, Zana T, Gaolathe T, Moyo S, Seipone K, Ndwapi N, Essex M, Marlink R. Quantitation of human immunodeficiency virus type 1 viral load in plasma using reverse transcriptase activity assay at a district hospital laboratory in Botswana: a decentralization pilot study. *J Virol Methods*. 2009 Jul;159(1):93-7. Epub 2009 Mar 20.

[[Medline](#)]

Napravnik S et al. HIV-1 viral load and phenotypic antiretroviral drug resistance assays based on reverse transcriptase activity in comparison to amplification based HIV-1 RNA and genotypic assays. *J Clin Virol*. 2009 Nov 4. [Epub ahead of print] PubMed PMID: 19896416.

[[Medline](#)]

Sivapalasingam S, Wangechi B, Marshed F, Laverty M, Essajee S, Holzman RS, Valentine F. Monitoring virologic responses to antiretroviral therapy in HIV-infected adults in Kenya: evaluation of a low-cost viral load assay. *PLoS One*. 2009 Aug 28;4(8):e6828.

[[Free full text article](#)][[Medline](#)]

Stewart P et al. Performance of the Cavid ExaVir Load assay and the ultra-sensitive p24 antigen assays relative to the Roche Monitor HIV-1 RNA assay: ACTG New Works Concept Sheet 227. Sixteenth Conference on Retroviruses and Opportunistic Infections, Montreal, abstract 1004, 2009.

van Rooijen LB et al. Effect of reverse transcriptase inhibitors and mutations on the low-cost Cavid reverse transcriptase viral load assay. *J Acquir Immune Defic Syndr*. 2009 Dec 1;52(4):527-9. PubMed PMID: 19901621.

[[Medline](#)]

2008

Basson AE, Ntsala M, Martinson N, Tlale E, Corrigan GE, Shao X, Gray G, McIntyre J, Puren A, Morris L. Development of phenotypic HIV-1 drug resistance after exposure to single-dose nevirapine. *J Acquir Immune Defic Syndr*. 2008 Dec 15;49(5):538-43.

[[Medline](#)]



Amoroso et al. Treatment Outcomes Comparison of AIDSRelief Supported Sites Initiated in the First and Second Years of PEPFAR. Poster, 17th International AIDS Conference.

Damond F, Benard A, Ruelle J, Alabi A, Kupfer B, Gomes P, Rodes B, Albert J, Böni J, Garson J, Ferns B, Matheron S, Chene G, Brun-Vezinet F; ACHIEV2E Collaboration on HIV-2 Infection Study Group. Quality control assessment of HIV-2 viral load quantification assays. Results from an international collaboration on HIV-2 infection, 2006. *J Clin Microbiol*. 2008 Jun;46(6):2088-91. Epub 2008 Apr 23.

[\[Free full text article\]](#)[\[Medline\]](#)

Greengrass et al. Evaluation of the new version 3 Cavid ExaVir™ Load quantitative HIV RT load kit as an alternative HIV viral load monitoring assay for use in Melbourne, Australia. Poster THPE0054, 17th International AIDS Conference.

Stafford et al. Long Term Durability of ART: 36 Month On Treatment Analysis of 338 Patients in Sub-Saharan Africa. Poster, 17th International AIDS Conference.

Stafford et al. Age at ART Initiation and Its Impact on Viral Outcomes in Children. Poster, 17th International AIDS Conference.

2007

Basson et al. Development of phenotypic HIV-1 drug resistance following exposure to single dose nevirapine. Poster, 4th IAS Conference on HIV Pathogenesis, Treatment and Prevention.

Damond et al. Quality control assessment of HIV-2 viral load quantification assays. Results from an international collaboration on HIV-2 infection. Poster, 14th Conference on Retroviruses and Opportunistic Infections.

Greengrass et al. Evaluation of the Cavid ExaVir® Load quantitative HIV RT load kit (Versions 2 and 3) as an alternative HIV viral load monitoring test. Poster TUPEB019, 4th IAS Conference on HIV Pathogenesis, Treatment and Prevention.

Iqbal HS, Balakrishnan P, Cecelia AJ, Solomon S, Kumarasamy N, Madhavan V, Murugavel KG, Ganesh AK, Solomon SS, Mayer KH, Crowe SM. Use of an HIV-1 reverse-transcriptase enzyme-activity assay to measure HIV-1 viral load as a potential alternative to nucleic acid-based assay for monitoring antiretroviral therapy in resource-limited settings. *J Med Microbiol*. 2007 Dec;56(Pt 12):1611-4.

[\[Medline\]](#)

Israel-Ballard K, Donovan R, Chantry C, Coutsoydis A, Sheppard H, Sibeko L, Abrams B. Flash-Heat Inactivation of HIV-1 in Human Milk: A Potential Method to Reduce Postnatal Transmission in Developing Countries. *J Acquir Immune Defic Syndr*. 2007 Jul 1;45(3):318-23.

[\[Medline\]](#)

Sivapalasingam S, Patel U, Itri V, Laverty M, Mandaliya K, Valentine F, Essajee S. A reverse transcriptase assay for early diagnosis of infant HIV infection in resource-limited settings. *J Trop Pediatr*. 2007 Oct;53(5):355-8. Epub 2007 Jun 11.

[\[Medline\]](#)

Plate et al. Evaluation of the blood stabilizer Cyto-chex® BCT (blood collection tube) for use in conjunction with a low cost HIV RT-test used to measure viral load in HIV patients. Poster TUPEB015, 4th IAS Conference on HIV Pathogenesis, Treatment and Prevention.

van Rooijen et al. Evaluation of the use of dried blood or plasma spots in combination with the Cavid ExaVir® Load RT assay. Poster TUPEB014, 4th IAS Conference on HIV Pathogenesis, Treatment and Prevention.



2006

Brandin E, Thorstensson R, Bonhoeffer S, Albert J. Rapid viral decay in simian immunodeficiency virus-infected macaques receiving quadruple antiretroviral therapy. *J Virol*. 2006 Oct;80(19):9861-4.

[\[Free full text article\]](#)[\[Medline\]](#)

Chantry CJ, Abrams BF, Donovan RM, Israel-Ballard KA, Sheppard HW. Breast Milk Pasteurization: Appropriate Assays to Detect HIV Inactivation. *Infect Dis Obstet Gynecol*. 2006 Jun;14(2):95938. No abstract available.

[\[Free full text article\]](#)[\[Medline\]](#)

Corrigan GE, Hansson EO, Morner A, Berry N, Kallander CF, Thorstensson R. Reverse Transcriptase Viral Load Correlates with RNA in SIV/SHIV-Infected Macaques. *AIDS Res Hum Retroviruses*. 2006 Sep;22(9):917-23.

[\[Medline\]](#)

Fiscus et al. Cavid Exavir Viral Load and Phenotype Assays. Poster Board #: 664, Session: 110 Molecular Diagnostics, 13th Conference on Retroviruses and Opportunistic Infections.

Greengrass et al. Evaluation of the Cavid ExaVir™ Load quantitative HIV RT load kit as an alternative HIV viral load monitoring test for use in resource-constrained settings. Presented at the 2006 Australian Society for HIV medicine Conference.

Morris et al. Evaluation Of Cavid Exavir®load Ver.2 Quantitative HIV RT Assay As An Alternative HIV Viral Load Test For Use In Resource-Constrained Settings. Presented at the 16th International AIDS Conference.

Pilon et al. Monitoring HIV Viral Load in Resource-limited Settings: Evaluation of the Cavid ExaVir Load. Poster, 16th International AIDS Conference.

Seyoum E, Wolday D, Girma M, Malmsten A, Meselle T, Gronowitz JS, Britton S. Reverse transcriptase activity for quantitation of HIV-1 subtype C in plasma: relation to RNA copy number and CD4 T-cell count. *J Med Virol*. 2006 Feb;78(2):161-8.

[\[Medline\]](#)

Vercauteren et al. Assessment of the performance characteristics of a low-cost HIV viral load technology. Poster MOPE0107, 16th International AIDS Conference.

2005

Greengrass VL, Turnball SP, Hocking J, Dunne AL, Tachedjian G, Corrigan GE, Crowe SM. Evaluation of a low cost reverse transcriptase assay for plasma HIV-1 viral load monitoring. *Curr HIV Res* 3(2):183-190, 2005.

[\[Medline\]](#)

Israel-Ballard K, Chantry C, Dewey K, Lonnerdal B, Sheppard H, Donovan R, Carlson J, Sage A, Abrams B. Viral, Nutritional, and Bacterial Safety of Flash-Heated and Pretoria-Pasteurized Breast Milk to Prevent Mother-to-Child Transmission of HIV in Resource-Poor Countries: A Pilot Study. *J Acquir Immune Defic Syndr*. 2005 Oct 1;40(2):175-181.

[\[Medline\]](#)



Jennings C, Fiscus SA, Crowe SM, Danilovic AD, Morack RJ, Scianna S, Cachafeiro A, Brambilla DJ, Schupbach J, Stevens W, Respass R, Varnier OE, Corrigan GE, Gronowitz JS, Ussery MA, Bremer JW. Comparison of two human immunodeficiency virus (HIV) RNA surrogate assays to the standard HIV RNA assay. *J Clin Microbiol.* 2005 Dec;43(12):5950-6.

[\[Free full text article\]](#)[\[Medline\]](#)

Lombart JP, Vray M, Kafando A, Lemee V, Ouedraogo-Traore R, Corrigan GE, Plantier JC, Simon F, Braun J: Plasma virion reverse transcriptase activity and heat dissociation-boosted p24 assay for HIV load in Burkina Faso, West Africa. *AIDS* 19(12):1273-1277, 2005

[\[Medline\]](#)

Malmsten A, Shao XW, Sjö Dahl S, Fredriksson EL, Pettersson I, Leitner T, Källander CF, Sandström E, Gronowitz JS. Improved HIV-1 viral load determination based on reverse transcriptase activity recovered from human plasma. *J Med Virol.* Jul;76(3):291-6, 2005.

[\[Medline\]](#)

Seyoum E, Wolday D, Mekonen T, Girma M, Meselle T, Kallander C, Gronowitz S, Britton S. Alternative Approach to Blood Screening Using the ExaVir Reverse Transcriptase Activity Assay. *Curr HIV Res.* 2005 Oct;3(4):371-6.

[\[Medline\]](#)

Sivapalasingam S, Essajee S, Nyambi PN, Itri V, Hanna B, Holzman R, Valentine F: Human immunodeficiency virus (HIV) reverse transcriptase activity correlates with HIV RNA load: implications for resource-limited settings. *J Clin Microbiol.* 43(8):3793-6, 2005

[\[Free full text article\]](#)[\[Medline\]](#)

Stevens G, Rekhviashvili N, Scott LE, Gonin R, Stevens W. Evaluation of two commercially available, inexpensive alternative assays used for assessing viral load in a cohort of human immunodeficiency virus type 1 subtype C-infected patients from South Africa. *J Clin Microbiol* 43: 857-61, 2005.

[\[Free full text article\]](#)[\[Medline\]](#)

2004

Greengrass et al. Evaluation of Cavidu ExaVir™ Load Quantative HIV RT Load Kit for Monitoring HIV Viral Load. Poster #958, 11th Conference on Retroviruses and Opportunistic Infections.

Tuaille E, Gueudin M, Lemee V, Gueit I, Roques P, Corrigan GE, Plantier JC, Simon F, Braun J. Phenotypic Susceptibility to Nonnucleoside Inhibitors of Virion-Associated Reverse Transcriptase From Different HIV Types and Groups. *J Acquir Immune Defic Syndr.* 2004 Dec 15;37(5):1543-1549.

[\[Medline\]](#)

Malmsten et al. Improved ExaVir® Load for HIV viral load monitoring. Poster MOPEB3171, 15th International AIDS Conference.



2003

Braun J, Plantier JC, Hellot MF, Tuailon E, Gueudin M, Damond F, Malmsten A, Corrigan GE, Simon F: A new quantitative HIV load assay based on plasma virion reverse transcriptase activity for the different types, groups and subtypes. *AIDS* 17:331-36, 2003.

[\[Medline\]](#)

Crowe S, Turnbull S, Oelrichs R, Dunne A. Monitoring of human immunodeficiency virus infection in resource-constrained countries. *Clin Infect Dis.* 1;37(Suppl 1):S25-35., 2003.

[\[Free full text article\]](#)[\[Medline\]](#)

Jennings et al. A Comparison of Two non-RNA-Based Assays for the Quantitation of HIV Poster H-1944. 43rd Interscience Conference on Antimicrobial Agents and Chemotherapy (ICAAC).

Malmsten A, Shao XW, Aperia K, Corrigan GE, Sandström E, Källander CFR, Leitner T, Gronowitz JS: HIV-1 viral load determination based on reverse transcriptase activity recovered from human plasma. *J Med Virol.* 71: 347-359, 2003.

[\[Medline\]](#)

Shao XW, Malmsten A, Lennerstrand J, Sönnnerborg A, Unge T, Gronowitz JS, Källander CFR: Use of HIV-1 reverse transcriptase recovered from human plasma for phenotypic drug susceptibility testing. *AIDS* 17:1463-71, 2003.

[\[Medline\]](#)

